



We have learned that the majority of thermostats shipping with our furnaces are not used. Due to low use and to avoid recycling waste, a transition will begin to remove the thermostat from the following furnaces effective April 15, 2019:

Monterey  
2509821/2509822  
3509821/3509822  
5009821/5009822

Direct Vent  
1403821/1403822  
2203821/2203822  
3003821/3003822

Forsaire Top Vent  
3508231/3508232  
3508631/3508632  
5008631/5008632  
5508231/5508232  
6008831/6008832  
6508631/6508632

Forsaire Direct Vent  
4007331/4007332  
4007731/4007732  
5507331/5507332  
6007731/6007732

Electric Forsaire  
3144030

Room Heaters Enclosed Front  
2001621A/2001622A  
3501521A/3501522A  
5001521A/5001522A  
6501521A/6501522A

Room Heaters Glass Front  
3502522A  
5002522A  
6502522A

Floor Furnace  
4505621A/4505622A  
6005621A/6005622A

The following furnaces are not affected by this change at this time:  
2509621A/2509622A  
3509621A/3509622A  
5009621A/5009622A

The thermostat will be sold separately under part number P322016. Alternately, any standard millivolt thermostat can be used.

The wire and nut are not included but are sold separately. Any 18-2 awg 105°C UL Class 2 wire (Williams P/N P710000) and orange wire nut 22 awg to 14 awg (Williams P/N P045300) can be used.


The price book reflects these changes. The website and user manuals will also reflect this change on the April 15 transition date.




The reference to “Thermostat Included” on the product packaging will be changed to “Thermostat Sold Separately.”

Monterey  
Top Vent

Old



New




Forsaire Top Vent





Forsaire Direct Vent

Old



**Forsaire**  
Counterflow Direct-Vent Furnace  
Calefactor de ventilación directa y contraflujo

250 West Laurel Street • Colton, California 92324 USA • [www.wfc.com](http://www.wfc.com)



- Three Sizes: 40,000, 55,000 or 60,000 Btu/hr.
- Gas Types: Natural or Propane (Optional conversion kits)
- Counterflow Blower System Circulates Ceiling-to-Floor Warm Air
- Sealed Combustion System Requires No Room Air
- Equipped with a Four-Foot Service Cord
- "Matchless" Pilot Igniter
- Great for Garages
- Help Line: (888) 256-6465

Tres Tamaños: 40,000, 55,000 o 60,000 Btu/hr.

Tipos de Gas: Natural o Propano (Juegos de conversión opcional)

Sistema de Sopladora de Contraflujo Circula el Aire Caliente del Falso Techo hacia el Piso

Sistema Sellado No Requiere Aire para la Habitación

Equipado con un Cordón Eléctrico de Cuatro Pies


Encendedor Piloto sin "Cerillo"

Ideal para Garajes

Línea de Ayuda: (888) 256-6465



**WILLIAMS**



**Thermostat Included**  
Se incluye el Termostato

New



**FORSAIRE**  
**COUNTERFLOW**  
**DIRECT-VENT FURNACE**

**40,000 BTU/hr.**



Counterflow Blower System Circulates Ceiling-to-Floor Warm Air  
Sistema de Sopladora de Contraflujo Circula el Aire Caliente del Falso Techo hacia el Piso



High Altitude & Gas Conversion Kits Available  
Kits de Gran Altitud y Conversión de Gas Disponibles



"Matchless" Pilot Igniter  
Encendedor Piloto sin "Cerillo"

Thermostat Sold Separately




[WWW.WFC-FC.COM](http://WWW.WFC-FC.COM)  
888-444-1212

For professional installation only

WARNING: This product can become very hot. Do not touch. To avoid fire, do not place flammable materials near the furnace. For more information, see the installation instructions. ©2011 Williams Fuel Control, Inc. All rights reserved. www.williamsfuelcontrol.com

MANUFACTURED IN THE USA SINCE 1916

Forsaire Electric



**Forsaire**  
Counterflow Electric Furnace  
Calefactor de eléctrico y contraflujo

250 West Laurel Street • Colton, California 92324 USA • [www.wfc.com](http://www.wfc.com)



- 9.2 kW - 240V - 40Amp
- Operating Voltage: 207 - 253 Volts
- Heating Output: 31,400 Btu/hr. @ 240V 23,600 Btu/hr. @ 208V
- Counterflow Blower System Circulates Ceiling-to-Floor Warm Air
- Automatic Temperature and Safety Controls
- Freestanding or Recessed Installation
- Occupies Less than One Square Foot of Floor Space
- Help Line: (888) 256-6465

9.2 kW - 240V - 40Amp

Tensión de Funcionamiento: De 207 a 253 Voltios

Salida de Calentamiento: 31,400 Btu/hr. @ 240V 23,600 Btu/hr. @ 208V

Sistema de Sopladora de Contraflujo Circula el Aire Caliente del Falso Techo hacia el Piso

Controles Automáticos de Temperatura y Seguridad


Instalación Autoportante o Empotrada

Ocupa Menos de un Pie Cuadrado de Espacio del Piso

Línea de Ayuda: (888) 256-6465



**WILLIAMS**



**Thermostat Included**  
Sí Incluye el Termostato



**FORSAIRE**  
**COUNTERFLOW**  
**FURNACE**

**ELECTRIC**



Counterflow Blower System Circulates Ceiling-to-Floor Warm Air  
Sistema de Sopladora de Contraflujo Circula el Aire Caliente del Falso Techo hacia el Piso



High Altitude & Gas Conversion Kits Available  
Kits de Gran Altitud y Conversión de Gas Disponibles



Freestanding or Recessed Installation Occupies Less than 1sq. ft. of Floor Space  
Instalación Independiente o Empotrada Ocupa Menos de Sq. Pie. Espacio del Piso

Thermostat Sold Separately



[WWW.WFC-FC.COM](http://WWW.WFC-FC.COM)  
888-444-1212

For professional installation only

WARNING: This product can become very hot. Do not touch. To avoid fire, do not place flammable materials near the furnace. For more information, see the installation instructions. ©2011 Williams Fuel Control, Inc. All rights reserved. www.williamsfuelcontrol.com

MANUFACTURED IN THE USA SINCE 1916



Old


New

Direct Vent

### Direct-Vent Home Furnaces

Calefactor de ventilación directa para hogar

- 22,000 or 30,000 Btu/hr.
- Gas Types: Natural or Propane (Optional conversion kits)
- Requires No Electricity
- "Matchless" Pilot Igniter
- Automatic Temperature and Safety Controls
- Sealed System Requires No Room Air
- Easy Installation - All Vent Materials Included
- Great for Garages



250 West Laurel Street • Colton, California 92324 USA • www.wfc-fc.com

### Direct-Vent Home Furnaces

Calefactor de ventilación directa para hogar

- 22,000 o 30,000 Btu/hr.
- Tipos de Gas: Natural o Propano (Juegos de conversión opcional)
- No Requiere Electricidad
- Encendedor Piloto sin "Cerillo"
- Controles Automáticos de Temperatura y Seguridad
- Sistema Sellado No Requiere Aire para la Habitación
- Fácil de Instalar - Se Incluyen Todos los Materiales de Ventilación
- Ideal para Garajes



250 West Laurel Street • Colton, California 92324 USA • www.wfc-fc.com



### DIRECT-VENT HOME FURNACE

30,000 BTU/hr.

- No Electricity Required  
No Requiere Electricidad
- "Matchless" Pilot Igniter  
Encendedor Piloto sin "Cerillo"
- Draws Outside Air to Prevent Heat Loss  
Absorbe el Aire del Exterior para Evitar la Pérdida de Calor
- High Altitude & Gas Conversion Kits Available  
Kits de Gran Altitud y Conversión de Gas Disponibles



Thermostat Sold Separately

WARNING: This product contains propane, a flammable gas. Read and follow the instructions carefully. For more information go to [www.williamsfc.com](http://www.williamsfc.com)

www.wfc-fc.com 888-444-1212


MANUFACTURED IN THE USA SINCE 1916

Room Heaters

### Vented Room Heaters

Calefactores de habitación con ventilación

- 35,000 Btu/hr.
- Gas Types: Natural or Propane (Optional conversion kits available)
- "Matchless" Pilot Igniter
- No Electricity Required
- Removable Cabinet Top
- Resettable Vent-Limit Switch
- Automatic Temperature and Safety Controls
- Low-profile Top Design and Front Grille for Improved Heat Circulation
- Optional Color Coordinated Floorboard
- Help Line: 888-256-6465





250 West Laurel Street • Colton, California 92324 USA • www.wfc-fc.com

### Vented Room Heaters

Calefactores de habitación con ventilación

- 35,000 Btu/hr.
- Tipos de Gas: Natural o Propano (Juegos de conversión opcional)
- Encendedor Piloto sin "Cerillo"
- No Requiere Electricidad
- Cubierta Desmontable de Gabinete
- Interruptor Regulable Limitador de Ventilación
- Controles Automáticos de Temperatura y Seguridad
- Diseño de Cubierta con Persianillas y Rejilla Frontal para Mejor Circulación del Aire
- Rejilla con Coordinación de Color Opcional
- Línea de Ayuda: 888-256-6465



250 West Laurel Street • Colton, California 92324 USA • www.wfc-fc.com



### VENTED ROOM HEATER

20,000 BTU/hr.

- No Electricity Required  
No Requiere Electricidad
- "Matchless" Pilot Igniter  
Encendedor Piloto sin "Cerillo"
- High Altitude & Gas Conversion Kits Available  
Kits de Gran Altitud y Conversión de Gas Disponibles



Thermostat Sold Separately

WARNING: This product contains propane, a flammable gas. Read and follow the instructions carefully. For more information go to [www.williamsfc.com](http://www.williamsfc.com)

www.wfc-fc.com 888-444-1212

MANUFACTURED IN THE USA SINCE 1916

Floor Furnace

### Floor Furnace

Calefactores en el piso

- Two Sizes: 45,000 or 60,000 Btu/hr.
- Gas Types: Natural or Propane (Optional conversion kits available)
- Requires No Electricity
- "Matchless" Pilot Igniter
- Combustion Chamber Lifts Out for Easy Servicing
- Long life and Quiet Heavy-duty Burner
- Automatic Temperature and Safety Controls
- Resettable Vent-Limit Safety Switch
- Floor Register Temperature Control
- Easy Installation
- Wall-mounted Thermostat Included




250 West Laurel Street • Colton, California 92324 USA • www.wfc-fc.com

### Floor Furnace

Calefactores en el piso

- Two Sizes: 45,000 or 60,000 Btu/hr.
- Gas Types: Natural or Propane (Optional conversion kits available)
- Requires No Electricity
- "Matchless" Pilot Igniter
- Combustion Chamber Lifts Out for Easy Servicing
- Long life and Quiet Heavy-duty Burner
- Automatic Temperature and Safety Controls
- Resettable Vent-Limit Safety Switch
- Floor Register Temperature Control
- Easy Installation




250 West Laurel Street • Colton, California 92324 USA • www.wfc-fc.com



### FLOOR FURNACE

45K-60K BTU/hr.

- No Electricity Required  
No Requiere Electricidad
- "Matchless" Pilot Igniter  
Encendedor Piloto sin "Cerillo"
- High Altitude & Gas Conversion Kits Available  
Kits de Gran Altitud y Conversión de Gas Disponibles



Thermostat Sold Separately

WARNING: This product contains propane, a flammable gas. Read and follow the instructions carefully. For more information go to [www.williamsfc.com](http://www.williamsfc.com)

www.wfc-fc.com 888-444-1212

MANUFACTURED IN THE USA SINCE 1916